## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 001

PROPOSAL	FEDERAL NUMBER   FED ITEM   CTR. SEC.   WORK TYP N/A   N/A   M 86000   Miscella	
M00215	LOCATION . North side span of the Mackinac Bridge	ROUTE I-75

DESCRIPTION: 0.34 mi of cleaning and coating existing structural steel on I-75 over the Straits of Mackinac from the north tower of the Mackinac Bridge northerly in the cities of St. Ignace and Mackinaw City, Mackinac and Emmet Counties. This project includes a two year bridge painting warranty.

CLASSIFICATION RATINGS

Misc = 4.761 %

Fa = 2.664 %

N4 = 92.574 %

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 002

PROPOSAL 16091-75001	PROJECTS 75001A	FEDERAL NUMBER IM 0816(003)	FED ITEM KK1812	CTR. IM	SEC. 16091	WORK TYP Resurfac	_
LOCATION   SB I-75 from Topinabe   Burt and Munro Townsh						pad in	ROUTE I-75

DESCRIPTION: 5.54 mi of unbonded plain concrete overlay of existing concrete pavement, freeway reconstruction, ramp reconstruction and guardrail upgrading on southbound I-75 from the Topinabee Mail Route northerly to Riggsville Road, Cheboygan County. This project includes a five year materials and workmanship pavement warranty.

## CLASSIFICATION RATINGS

Misc = 9.868 %	N2 = 0.019 %	Ka = 0.058 %	J = 0.357 %	Ea = 23.042 %
N92D = 0.405 %	Cb = 8.487 %	N93D = 0.139 %	B = 51.165 %	Ba = 2.855 %
Fa = 0.164 %	Fb = 0.002 %	N91A = 0.004 %	N91A = 0.004 %	N91C = 0.041 %
N96L = 1.333 %	N6 = 0.105 %	N3 = 0.850 %	I = 1.098 %	

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 003

PROPOSAL	FEDERAL NUMBER   FED ITEM   CTR. SEC.   WORK TYPE NH 0839(003)   HH5268   NH 39041   Bridge Rehabilitation	
90224A	LOCATION  11th St. easterly to Oliver St. in the City of Kalamazoo, Kalamazoo County  ROUTE  I-94 BL	

DESCRIPTION: 3.05 mi of hot mix asphalt cold milling and resurfacing, concrete pavement repairs, diamond grinding, and joint resealing, ADA sidewalk ramp upgrades and traffic loop replacement on I-94BL (Stadium Drive) from 11th Street easterly to Oliver Street in the city of Kalamazoo, Kalamazoo County.

## CLASSIFICATION RATINGS

Misc = 11.067 %	J	= 1.151 %	Ea = 0.424 %	K = 0.106 %	N93A = 5.016 %
Cb = 39.831 %	В	= 0.290 %	N93F = 0.865 %	N93D = 21.885 %	Ba = 15.600 %
N3 = 1.911 %	I	= 0.074 %	L = 1.776 %	L = 1.776 %	

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

LETTING DATE: 071207

CALL: 004

PROPOSAL 13032-90172	PROJECTS 90172A	FEDERAL NUMBER CMG 0813(003)	FED ITEM JJ2911	CTR. SEC. CMG 13032	WORK TYPE Traffic Operat	ions
LOCATION 90172A M-66 at Union Street, E /Clifton Bouelard, Morg			Emmett Street, gan Road and P	Roosevelt Ave ennfield Road	enue, Ea ROUTE M-66	

DESCRIPTION: Traffic signal upgrading on M-66 at Union Street, Emmett Street, Roosevelt Avenue, Eaton/Clifton Boulevard, Morgan

Road and Pennfield Road in the city of Battle Creek, Calhoun

County.

CLASSIFICATION RATINGS

Misc = 20.773 % J = 1.549 % Ea = 0.192 %N96M = 0.256 %N6 = 0.389 %

I = 0.101 %= 76.738 %

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 005

PROPOSAL 59032-59562	PROJECTS 59562A 59569A	FEDERAL NUMBER N/A STPG 0759(009)	FED ITEM N/A JJ2900	CTR. M STG	SEC. 59032 59032	WORK TYI Resurfac Safety (	· <del>-</del>
59562A		LOCATION M-91 from north of Wise Rd to south of Peck Road					ROUTE M-91
59569A		M-91; from south of Peck road to north of Peck road				M-91	

DESCRIPTION: 0.51 mi of hot mix asphalt cold milling, resurfacing, joint repairs, widening and drainage improvements on M-91 from north of Wise Road easterly to north of Peck Road in Montcalm Township, Montcalm County.

### CLASSIFICATION RATINGS

Misc = 16.980 %	J = 4.988 %	Ea = 23.658 %	K = 7.194 %	N94B = 0.322 %
N93A = 3.214 %	N93G = 1.751 %	Cb = 36.515 %	N6 = 1.372 %	N3 = 0.906 %

I = 3.096 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

LETTING DATE: 071207

CALL: 006

PROPOSAL 19400-59636	PROJECTS 59636A	FEDERAL NUMBER STP 0719(220)	FED ITEM RR6131	CTR. STL	SEC. 19400	WORK TYP	cing	
506364	load portherly	to M=2	01		ROUTE			

DESCRIPTION: 3.03 mi of concrete curb, gutter and cross culvert replacement, cold milling hot mix asphalt surface, and hot mix asphalt overlay on Wright Road from Taft Road

northerly to M-21, Clinton County.

### CLASSIFICATION RATINGS

Misc = 5.323 %

J = 1.016 %

Ea = 7.258 %

K = 0.420 %

N93A = 8.412 %

cb = 76.205 %

N3 = 1.362 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 007

PROPOSAL 19403-55957	PROJECTS 55957A	FEDERAL NUMBER STP 0719(219)	FED ITEM HH5217	CTR.	SEC. 19403	WORK TYI Resurfac	· <del>-</del>
LOCATION 55957A Chandler Road from Cole in Clinton County			eman Road nort	herly	to Hunsa	aker Roa	ROUTE

DESCRIPTION: 0.43 mi of hot mix asphalt cold milling and resurfacing, trenching, aggregate shoulder, and guardrail replacement on Chandler Road from Coleman Road northerly to Hunsaker Road, Clinton County.

CLASSIFICATION RATINGS

Misc = 14.241 %

Ea = 15.825 %

N93A = 4.209 %

cb = 41.766 %

N96L = 23.028 %

N3 = 0.928 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

LETTING DATE: 071207

CALL: 008

Ī	PROPOSAL 82400-100782	PROJECTS 100782A	FEDERAL NUMBER STPG 0782(150)	FED ITEM JJ2861	CTR.	SEC. 82400	WORK TY Traffic	PE Operations
Ī	LOCATION 100782A 48 locations in Detroit			from Madison	Stree	t to Ful	lerton	ROUTE

DESCRIPTION: Modernize traffic signals and interconnect signals at 48 locations from Madison Street to Fullerton Avenue in the

city of Detroit, Wayne County.

CLASSIFICATION RATINGS

Misc = 9.556 %

J = 14.419 %

Cb = 0.444 %

N3 = 1.333 %

L = 74.245 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 009

PROPOSAL 25609-84935	PROJECTS 101031A 84935A	FEDERAL NUMBER STP 0725(107) STP 0725(109)	FED ITEM HH5218 RR6137	CTR. SEC. STU 25402 STH 25609		PE Rehabilitation Operations	
101031A		LOCATION Silver Lake Road at Linden High School Silver Lake Road at Linden High School intersection				ROUTE	
84935A Silver Lake Road at Li			nden Righ Schoo	ol intersection	n		

DESCRIPTION: 0.22 mi of hot mix asphalt construction of a left turn passing lane and a right turn lane, and concrete pavement repair at the Linden High School intersection on Silver Lake Road, Genesee County.

### CLASSIFICATION RATINGS

Misc = 18.154 %	J = 5.925 %	Ea = 19.073 %	N93A = 2.281 %	N93G = 0.497 %
Cb = 31.306 %	B = 0.183 %	N93F = 0.104 %	Ba = 15.471 %	N93E = 0.751 %
N96M = 2.900 %	N3 = 1.100 %	ı = 1.987 %	K = 0.262 %	

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 010

PROPOSAL	FEDERAL NUMBER STP 0782(184)	FED ITEM	WORK TYPE Bridge Rehabilitation
101256A	LOCATION Howe Road from Van Born	n Road to Michigan Avenue	ROUTE

DESCRIPTION: 1.01 mi of hot mix asphalt road resurfacing including cold

milling, drainage structure adjustments, base repair, concrete sidewalk, sidewalk ramps, and curb caps, hot mix asphalt paving, and pavement markings on Howe Road from Van Born Road to Michigan Avenue in the city of Wayne,

Wayne County.

## CLASSIFICATION RATINGS

Misc = 12.	817 %	Ea	= 0.973 %	κ	=	7.538 %	N93A	=	0.523 %	Cb	= 65	.649 %
B = 0.	787 %	Ba	= 2.485 %	j	=	4.592 %	N6	=	1.482 %	N3	= 2	2.524 %

I = 0.625 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 011

PROPOSAL		CTR. SEC.   WORK TYPE CM 58081   Miscellaneous	
100433A	LOCATION Lewis Avenue at Dean Road	ROUTE	

DESCRIPTION: 0.29 mi of intersection construction including earth excavation, storm sewer, hot mix asphalt base crushing and shaping and hot mix asphalt paving on Lewis Avenue at Dean Road, Monroe County.

### CLASSIFICATION RATINGS

Misc = 20.788 %	J = 7.837 %	Ea = 9.933 %	K = 11.734 %	N94B = 0.261 %
Ka = 0.163 %	Cb = 44.183 %	N93A = 2.083 %	N96L = 0.133 %	N3 = 0.312 %

I = 2.568 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 012

ا	PROPOSAL 41544-74897	PROJECTS 74897A	FEDERAL NUMBER N/A	FED ITEM N/A	CTR.	SEC. 41544	WORK TYP Roadside	PE   e Reconstruction	
	74897A		LOCATION Northland Drive from 12	Mile to 13 i	Mile			ROUTE	

DESCRIPTION: 1.00 mi of road reconstruction including concrete curb and gutter, storm sewer, hot mix asphalt paving and pavement markings on Northland Drive from 12 Mile Road to 13 Mile Road, Kent County.

#### CLASSIFICATION RATINGS

K = 10.505 %N94B = 0.432 %Misc = 12.075 % J = 8.596 %Ea = 29.470 %N93A = 0.094 %Cb = 37.953 %N3 = 0.175 %I = 0.695 %

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 013

PROPOSAL 41401-100864	PROJECTS 100864A 101036A 101037A 101038A	FEDERAL NUMBER STP 0841(323) STP 0841(319) STP 0841(318) STP 0841(317)	FED ITEM RR6151 RR6150 RR6149 RR6148	CTR. STU STU STU STU	SEC. 41401 41401 41401 41401	WORK TYP Resurface Prevent Resurface Resurface	cing ive Maintenance cing
1008644	1	LOCATION Eastern Avenue from 60t	th Street to 44	ROUTE			
101036	<b>A</b>	60th Street from Divisi	on Street to E				
101037A Eastern Avenue from 6			th Street to 68	3th St	reet		
101038A 68th Street from Paste			Creek to Han	na Lak	e Road		

DESCRIPTION: 5.01 mi of hot mix asphalt road resurfacing including cold milling, drainage structure adjustment, hot mix asphalt paving, concrete sidewalk and pavement markings on Eastern Avenue from 60th Street to 44th Street, on 60th Street from Division Street to Eastern Street, on Eastern Avenue from 60th Street to 68th Street and on 68th Street from Plaster Creek to Hanna Lake Road, Kent County.

## CLASSIFICATION RATINGS

Misc = 10.706 %	J = 5.760 %	760 % Ea = 1.70	1 % N92D =	3.028 %	K	= 4.236 %
N93A = 2.579 %	Cb = 70.283 %	283 % Fa = 0.01	5 % N91A =	0.169 %	N6	= 0.012 %
N3 = 1.267 %	L = 0.240 %	240 %				

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

LETTING DATE: 071207

CALL: 014

PROPOSAL **PROJECTS** FEDERAL NUMBER FED ITEM CTR. SEC. 88113A CM 0646(037) RR5321 CM 46400 Miscellaneous 46400-88113 LOCATION ROUTE 88113A Area Wide from Union Street to Russel Road

DESCRIPTION: 0.45 mi of bicycle path grading, aggregate, and hot mix

asphalt areawide from Union Street to Russel Road in the

city of Tecumseh, Lenawee County.

CLASSIFICATION RATINGS

Misc = 12.265 %

Ea = 38.139 %

J = 0.870 %

cb = 48.725 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

LETTING DATE: 071207

CALL: 015

PROPOSAL 73609-87752	PROJECTS 87752A 87756A	FEDERAL NUMBER STP 0773(029) STP 0773(028)	FED ITEM RR6075 RR6074	CTR. SEC. STH 73609 STH 73609	,	PE Operations Operations
87752A LOCATION Gallagher Street from Willia			Jilliamson Stre	eet to Wilki	ns Street	ROUTE
87756A Court Street from Handl			ey Street to E	Elmview Cour	t	

DESCRIPTION: 0.15 mi of traffic signal installation, boulevard and pavement removal, concrete pavement repair, cold milling concrete pavement, concrete center turn lane construction, hot mix asphalt surfacing, and sidewalk ramps on Gallagher Street from Williamson Street to Wilkins Street and on Court Street from Handley Street to Elmview Court in the city of Saginaw, Saginaw County.

### CLASSIFICATION RATINGS

Misc = 20.255 %	Ea = 6.558 %	K = 5.492 %	N93A = 0.636 %	Cb = 10.273 %
B = 8.695 %	Ba = 1.951 %	J = 8.180 %	N3 = 4.406 %	I = 1.060 %

L = 32.490 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 016

PROPOSAL 81083-100427	PROJECTS 100427A	FEDERAL NUMBER CM 0781(031)	FED ITEM RR5948	CTR. SEC		TYPE
100427A		LOCATION Forest Avenue from Coll	ege Place to F	Prospect S	Street	ROUTE

DESCRIPTION: 0.62 mi of hot mix asphalt resurfacing, concrete sidewalk and curbs, drainage structures, and pavement markings on Forest Avenue from College Place to Prospect Street in

the city of Ypsilanti, Washtenaw County.

### CLASSIFICATION RATINGS

Misc = 14.478 %	J	= 29.507 %	Ea	=	9.551 %	K	= 10.897 %	N94	B =	0.043 %
Cb = 7.220 %	Ва	= 1.445 %	N6	=	6.106 %	N3	= 17.056 %	I	=	2.444 %

= 1.245 %

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

LETTING DATE: 071207

CALL: 017

**PROPOSAL PROJECTS** FEDERAL NUMBER FED ITEM CTR. SEC. WORK TYPE 25400-100391 100391A CMG 0725(106) JJ2886 CMG 25400 | Miscellaneous ROUTE 100391A Miller Road from Dye Road to Ballenger Highway

DESCRIPTION: Closed loop radio interconnect system for traffic signals at

13 intersections on Miller Road from Dye Road to Ballenger

Highway in the city of Flint, Genesee County.

CLASSIFICATION RATINGS

Misc = 12.691 %

Ea = 0.101 %

J = 0.276 %

= 86.930 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 018

PROPOSAL 37424-84466	PROJECTS 101382A 84466A	FEDERAL NUMBER N/A STP 0737(024)	FED ITEM N/A HH5192	PE le Reconstruction le Reconstruction					
101382		LOCATION Isabella Road from 113	feet north of	ROUTE					
84466A		Isabella Road from Brod	omfield Road to						

DESCRIPTION: 1.27 mi of hot mix asphalt road reconstruction including base crushing and shaping, storm sewer, drainage structures, concrete curb and gutter, hot mix asphalt paving, traffic signal installation and pavement markings on Isabella Road from south of Broomfield Road to Bluegrass Road and from US-127BR to south of Bluegrass Road, Isabella County.

#### CLASSIFICATION RATINGS

Misc = 15.903 % J = 6.784 % Ea = 34.309 % N92D = 1.144 % K = 5.441 % N94B = 0.343 % Ka = 0.205 % Cb = 28.647 % N3 = 0.467 % I = 5.291 %

L = 1.461 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 019

PROPOSAL	FEDERAL NUMBER	
84952A	LOCATION ROUTE Michigan Street at Diamond Avenue and Richmond	

DESCRIPTION: 0.22 mi of traffic signal upgrades and miscellaneous approach work on Michigan Street at Diamond Avenue

and on Richmond Street at Alpine Avenue in the city of

Grand Rapids, Kent County.

CLASSIFICATION RATINGS

Misc = 19.420 % J = 7.033 % Ea = 0.224 % Cb = 13.383 % N3 = 0.076 %

L = 59.862 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 020

PROPOSAL	FEDERAL NUMBER   FED ITEM   CTR. SEC.   WORK TYPE HPSL 0731(026)   RR5994   HPSL 31003   Preventive Maintenance	
101016A	LOCATION Sturgeon River Road at Sturgeon River	

DESCRIPTION: Removal of substructure and addition of rip rap to

protect the new bridge on Strurgeon River Road at

Sturgeon River, Houghton County.

CLASSIFICATION RATINGS

Misc = 62.344 %

N2 = 1.000 %

Ea = 16.551 %

Fa = 20.002 % I = 0.100 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 021

PROPOSAL **PROJECTS** FEDERAL NUMBER FED ITEM CTR. SEC. WORK TYPE 41900-100465 100465A CM 0741(104) RR6119 CM 41900 Miscellaneous CM 0741(105) RR6120 CM 41900 Miscellaneous 100466A LOCATION ROUTE 100465A 44th Street from Patterson Avenue to Byron Center Road 100466A Areawide

DESCRIPTION: Procurement of materials for 10 mi of fiber optic traffic

signal interconnections and 8 mi of ATMS fiber optic communications network areawide and on 44th Street from Patterson Avenue to Byron Center Road in the cities  ${\bf r}$ 

of Wyoming and Grand Rapids, Kent County.

CLASSIFICATION RATINGS

Misc = 1.965 %

= 98.034 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 022

PROPOSAL	FEDERAL NUMBER	1
90194A	LOCATION 192nd Avenue from Gale Road north to Warren Road ROUTE	

DESCRIPTION: 0.51 mi of vertical curve modification and reconstruction

including earth excavation, embankment, hot mix asphalt

cold milling and paving, aggregate base, drainage

improvements, and slope restoration on 192nd Avenue from Gale Road northerly to north of Warren Road, Oceana County.

### CLASSIFICATION RATINGS

Misc = 15.193 % Ea = 44.056 % N94B = 0.091 % Cb = 26.396 % Fa = 0.217 % N96L = 7.974 % N96M = 2.206 % N3 = 1.520 % I = 2.343 %

CURRENT DBE GOAL: 0.00

.

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 023

PROPOSAL	FEDERAL NUMBER   FED ITEM   CTR. SEC.   WORK TYPE HRRR 0744(021)   KK1805   HRRR 44609   Safety Operations	
90182A	LOCATION Silverwood, Clifford, Stanley, McKeen, Farnsworth, Hadley Maple Grove, Wilder, and Doran Roads	

DESCRIPTION: 17.21 mi of tree removal, guardrail, permanent signing and pavement marking upgrades at 9 locations along Silverwood Road, Clifford Road, Stanley Road, McKeen Road, Farnsworth Road, Hadley Road, Wilder Road, Peppermill Road at Maple Grove Road intersection, and Doran Road at Imlay City Road intersection, Lapeer County.

### CLASSIFICATION RATINGS

Misc = 54.433 % N2 = 0.276 % Ea = 0.671 % Cb = 2.541 % N96L = 35.200 % N6 = 4.307 % N3 = 2.568 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 024

PROPOSAL 41025-86289	PROJECTS 86289A	FEDERAL NUMBER BHT 0741(095)	FED ITEM RR6084	CTR.	SEC. 41025	WORK TYI Bridge I	PE Reconstruction	
86289A		LOCATION Hall Street over Norfol in the city of Grand Ra			and Ste	ele Ave	ROUTE	

DESCRIPTION: Deck and railing replacement, pin and hanger replacement, partial painting, substructure repair and related approach work on Hall Street over Norfolk Southern Railroad and Steele Avenue in the city of Grand Rapids, Kent County.

## CLASSIFICATION RATINGS

Misc = 13.106 %	Ea =	2.190 %	N94B =	0.022 %	K = 1.314 %	В	=	5.172 %	
J = 2.106 %	N96L =	1.079 %	N3 =	0.221 %	Fa = 51.425 %	Fb	= 1	4.772 %	
N91B = 5.418 %	N91A =	0.380 %	N91C =	0.518 %	N91E = 0.027 %	N91C	=	0.518 %	

N4 = 2.244 %

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 025

PROPOSAL 55041-75467	PROJECTS 75467A	FEDERAL NUMBER STP 0855(001)	FED ITEM HH5266	CTR.	SEC. 55041	WORK TYP Resurfac	_	
75467A		LOCATION M-69 From South Gabor R	d to Delta C	Line			ROUTE M-69	

DESCRIPTION: 9.61 mi of crushing and shaping existing hot mix asphalt, resurfacing, guardrail upgrading, drainage improvements and 3 bridge rehabilitations on M-69 from South Gabor Road to the Menominee/Delta County line, Menominee County.

This project includes a five year materials and workmanship pavement warranty.

### CLASSIFICATION RATINGS

Misc	= 6.417 %	J	=	0.336 %	Ea	=	8.219 %	N92D =	7.417 %	N93A	=	0.115 %
Cb	= 72.554 %	N93D	=	0.085 %	В	= .	0.763 %	N96L =	2.376 %	N6	=	0.049 %
N3	= 0.873 %	I	=	0.350 %	Fa	=	0.326 %	N91A =	0.108 %	N91C	=	0.006 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 026

	PROPOSAL 12439-89560	PROJECTS 89560A	FEDERAL NUMBER STP 0812(006)	FED ITEM RR6157	CTR. SEC. STUL 12439	WORK TY Bridge	PE Rehabilitation	
	89560A		LOCATION West Garfield Avenue fr	om North Fill	more to Spragu	ue Road	ROUTE	

DESCRIPTION: 1.70 mi of hot mix asphalt crushing, shaping, cold milling and resurfacing, concrete curb and gutter, and storm sewer work on West Garfield Avenue from North Fillmore to Sprague

Road in the city of Coldwater, Branch County.

### CLASSIFICATION RATINGS

Ka = 0.079 %N93A = 12.295 %Misc = 8.549 %Ea = 8.403 %K = 1.069 %I = 0.528 %N3 = 1.995 % Cb = 66.234 %J = 0.844 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

ı

LETTING DATE: 071207

CALL: 027

PROPOSAL **PROJECTS** CTR. SEC. FEDERAL NUMBER FED ITEM WORK TYPE 11400-90385 90385A CM 0711(334) RR5835 CM 11400 Miscellaneous 90386A CMG 0711(347) JJ2874 CMG 11400 Miscellaneous LOCATION ROUTE 90385A Territorial Road at Fair Avenue 90386A Colfax Avenue at May Street

DESCRIPTION: Removal of traffic signals, poles, controllers and cabinets

at the intersections of Territorial Road and Fair Avenue and Market Street and Colfax Avenue and signal optimization including mast arms, controller and cabinet, pedestrian pushbuttons and traffic loop detectors at the intersection of Colfax Avenue and May Street in the city of Benton

Harbor, Berrien County.

### CLASSIFICATION RATINGS

Misc = 11.689 % J = 1.748 % N6 = 3.556 % L = 80.561 % N3 = 1.945 %

I = 0.499 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 028

PROPOSAL **PROJECTS** FEDERAL NUMBER FED ITEM CTR. SEC. 84914-80454 80454A NHG 0884(008) JJ2913 NHG 84914 | Traffic Operations

LOCATION 80454A

US-127 Bay Region

ROUTE

US-127

DESCRIPTION: 77.99 mi of freeway signing upgrades on US-127 from

County Line Road northerly to the north Clare County

line, Gratiot, Isabella, and Clare Counties.

CLASSIFICATION RATINGS

Misc = 7.820 %

Ea = 0.050 %

N95D = 0.593 %

N96L = 1.211 %

N6 = 90.301 %

= 0.023 %

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE: 1

LETTING DATE: 071207

CALL: 029

PROPOSAL **PROJECTS** FEDERAL NUMBER FED ITEM CTR. SEC. | WORK TYPE 82191-100424 100424A

CMG 0782(191) JJ2889 CMG 82191 Miscellaneous

LOCATION 100424A Allen Road from King Road to Wal-Mart and Target Drive

ROUTE

DESCRIPTION: Traffic signal installations and interconnection at 5

intersections on Allen Road from King Road to Wal-Mart and Target Drives and on West Road at Monterey Drive in the city

of Woodhaven, Wayne County.

CLASSIFICATION RATINGS

J = 4.736 %Ea = 0.270 % L = 84.527 % Misc = 10.465 %

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 030

PROPOS 41024		FEDERAL NUMBER	
	75091A	LOCATION I-96 east bound and west bound over abandoned Mid Michiga I-96 Railroad	

DESCRIPTION: Bridge removal and replacement with box culvert, approach work, culverts, underdrain and guardrail on I-96 eastbound and westbound over abandoned Mid-Michigan Railroad (Future Trail), Ionia and Kent counties. This project includes a 5 year materials and workmanship pavement warranty.

## CLASSIFICATION RATINGS

Misc = 17.305 %	N2	=	0.177	%	Ea	= ;	25.399 %	K	=	0.172 %	N94B	=	0.003 %
Cb = 11.516 %	В	=	6.702	%	N93D	=	0.075 %	Fa	= 2	29.996 %	J	=	0.756 %
N96L = 1.581 %	N96M	=	0.144	%	N6	=	0.272 %	N6	=	0.272 %	N3	=	0.462 %
I = 1.785 %	N95D	=	1.949	%	Fb	=	2.345 %	N91A	=	0.376 %	N91C	=	1.052 %

# MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 031

	PROPOSAL 38101-78896	PROJECTS 78896A 79980A	FEDERAL NUMBER IM 0738(045) IM 0838(011)	FED ITEM KK1785 KK1815	CTR. IM IM	SEC. 38101 38101	_	PE Reconstruction e Reconstruction
Ī	78896A		LOCATION I-94 over Sandstone Cre	eek	ROUTE I-94			
	79980A		I-94 eastbound on ramp at Dearing Road	and westbound	I-94			

DESCRIPTION: 0.26 mi of hot mix asphalt ramp reconstruction and lengthening, drainage, guardrail replacement, deck replacement, widening, full paint, substructure concrete patching, and micropiles on I-94 at the Dearing Road interchange and over Sandstone Creek, Jackson County. This project includes a 2 year bridge painting warranty.

## CLASSIFICATION RATINGS

Misc = 10.898 %	N2	=	0.139 %	J	=	1.253	%	Ea	= '	4.102 %	K	=	0.754 %
N94B = 0.022 %	N93A	=	0.339 %	Cb	=	6.527	%	В	=	2.113 %	Ba	=	0.057 %
Fa = 42.864 %	N96L	=	4.867 %	N6	=	0.561	%	N6	=	0.561 %	N3	=	0.253 %
I = 0.970 %	N95D	=	0.266 %	N95C	=	3.775	%	Fb	=	6.479 %	N91B	=	1.328 %
N91A = 0.829 %	N4	=	3.308 %										

# MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 032

PROPOSAL 74073-45168	PROJECTS 100254A 45168A	FEDERAL NUMBER         FED ITEM         CTR. SEC.         WORK TY           N/A         M 74073         Prevent           STP 0874(003)         HH5267         STT 74073         Resurfa				tive Maintenance			
100254A		LOCATION M-25 from Deckerville R	Road to Russel	Road		ROUTE M-25			
45168A		M-25 from Deckerville Road to Russell Road					M-25		

DESCRIPTION: 5.16 mi of two course hot mix asphalt overlay, eight foot non-motorized path, guardrail improvements, culvert scour countermeasures, culvert head wall rehabilitation, extension, clearing, slope restoration, ditching and concrete patching on M-25 from south of Deckerville Road northerly to north of Russell Road, Sanilac County.

## CLASSIFICATION RATINGS

Mis	ic =	11.090 %	N2	=	0.360	%	Ka	=	0.027 %	Fa	=	2.115 %	Ea	= 1	12.857 %	
K	=	0.013 %	N93A	=	0.300	%	N93F	=	0.421 %	N93G	=	0.911 %	Cb	= 5	59.928 %	
N93	SD =	1.497 %	В	=	0.243	%	Ва	=	0.174 %	N95D	=	1.977 %	Fb	=	0.300 %	
N91	B =	0.264 %	N91A	=	0.413	%	N91C	=	4.931 %	N91E	=	0.085 %	<b>N96</b> L	=	4.858 %	
N6	=	0.003 %	N3	=	0.427	%	Н	=	0.330 %	I	=	1.101 %				

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 033

PROPOSAL 39008-90387-2	PROJECTS 90387A	FEDERAL NUMBER BRT 0739(022)	FED ITEM RR5713	 SEC. 39008	WORK TYI Bridge I	PE   Reconstruction	
90387A		LOCATION South 9th Street at Amt	rack Railroad:			ROUTE	

DESCRIPTION: Construct a new traffic signal and replace an existing

four-way flashing beacon at the intersection of 11th Street

and Michigan Avenue, Kalamazoo County.

CLASSIFICATION RATINGS

Misc = 28.107 %

Ea = 3.384 %

N6 = 1.626 %

L = 66.654 %

N3 = 0.228 %

CURRENT DBE GOAL: 0.00

0.00

## - MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 034

PROPOSAL PROJECTS 77011-75169 75169A	FEDERAL NUMBER   FED ITEM STP 0877(005)   HH5269	CTR. SEC.   WORK TYPE   STT 77011   Bridge Reconstruction	
75169A	LOCATION M-19 over Cowhey Creek	ROUTE M-19	

DESCRIPTION: Bridge replacement with prefabricated concrete arch on M-19 over Cowhey Creek, St. Clair County.

## CLASSIFICATION RATINGS

Misc = 21.599 %	J = 0.997 %	Ea = 26.384 %	Cb = 0.298 %	B = 11.437 %
N91B = 0.198 %	Fa = 30.601 %	N96L = 1.984 %	N3 = 0.374 %	L = 0.892 %
N95C = 4.458 %	Fb = 0.692 %	N91A = 0.080 %		

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 035

PROPOSAL PROJECTS 19032-51825 51825A 79780A		FEDERAL NUMBER BHT 0819(004) STP 0819(003)	FED ITEM RR6162 HH5271	PE Reconstruction cing		
51825A		LOCATION US-127BR over abandon (	Grand Trunk Wes	ROUTE US-127BR		
79780A		US-127BR and Old US-27 cul-de-sac north of the		US-127BR & Old US-27		

DESCRIPTION: 4.09 mi of hot mix asphalt cold milling and resurfacing, concrete pavement restoration, hot mix asphalt reconstruction, intersection improvements, bridge removal, precast concrete box culvert construction, storm sewer, water main, and traffic signal improvements on US-127BR and Old US-27 from Townsend Road northerly to north of the US-127 freeway interchange in the city of St. Johns, Clinton County. This project includes a 5 year materials and workmanship warranty.

## CLASSIFICATION RATINGS

Misc = 13.306 %	N2 = 0.025 %	Ka =	= 0.026 %	J =	4.507 %	Ea :	= 11.960 %
K = 11.013 %	N94B = 0.082 %	Fa =	= 5.684 %	N93A =	2.958 %	N93G	= 0.285 %
Cb = 39.552 %	N93D = 0.103 %	В =	= 0.439 %	B =	0.439 %	Ва	= 3.062 %
N96L = 0.266 %	N6 = 0.782 %	н3 =	= 3.892 %	I =	1.070 %	L	= 2.853 %
Eb = 0 444 %	NOIR = 0.558 %						

## MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 036

PROPOSAL 41029-46274	PROJECTS 46274A 75069A 82762A 87625A	FEDERAL NUMBER IM 0841(326) IM 0841(327) IM 0841(325) HPSL 0841(328)	FED ITEM KK1822 KK1823 KK1821 RR6165	IM IM IM	SEC. 41029 41029 41029 41029	Resurfac Preventi	Dperations	
46274A		LOCATION I-196 from 36th Street	east to M-11	ROUTE I-196				
75069A		I-196, from west of the	Kent/Ottawa (	I-196				
82762A		to 36th Street S23 and S25 of 41029 ov	ver 36th Street	I-196	l			
87625A		I-196, R01, eastbound and R02, westbound, of 41029 over C Railroad and I-196 ramp						

DESCRIPTION: 2.82 mi of freeway concrete reconstruction, drainage and grading, retaining walls, concrete overlay, structure replacements, reconstructions and new structure on I-196 from 36th Street easterly to M-11 in the cities of Wyoming and Grandville, Kent and Ottawa Counties. This project includes a 5 year materials and workmanship pavement warranty.

## CLASSIFICATION RATINGS

Misc = 11.462 %	N2 = 0.033 %	J = 0.739 % Ea	a = 8.256 %	K = 0.935 %
N94B = 0.013 %	Ka = 0.002 %	N93A = 0.135 % Cb	o = 1.903 %	N93D = 0.136 %
N93I = 0.087 %	B = 13.154 %	Ba = 0.690 % Ba	a = 0.690 %	N95D = 0.765 %
Fa = 50.454 %	N91A = 2.064 %	N91C = 0.574 % N9	96L = 0.938 %	N96M = 0.074 %
N6 = 0.938 %	N3 = 0.271 %	H = 0.007 % I	= 0.435 %	L = 0.265 %
Fb = 4.180 %	N91B = 1.771 %	N91F = 0.132 % N4	4 = 0.054 %	

#### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 037

PROPOSAL 25132-87636	PROJECTS 87636A 87641A	FEDERAL NUMBER IM-0825(005) IM-0825(003)	FED ITEM KK1817 KK1811	IM	SEC. 25132 25132		PE e Facilities e Facilities
87636A		LOCATION I-475 at Pierson Road a	and at Carpente	er Road	d		ROUTE I - 475
		I-475 at Broadway Avenu Bristol Road, Atherton				Street	I-475

DESCRIPTION: Freeway ramp lighting replacement on I-475 at Pierson Road,

Carpenter Road/Selby Street, Bristol Road, Atherton Avenue/Hemphill Road, Broadway Avenue and Longway

Boulevard/Second Street in the cities of Burton and Flint,

Genesee County.

### CLASSIFICATION RATINGS

Misc = 8.304 %

Fa = 0.157 %

I = 0.166 %

L = 91.371 %

# MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 038

PROPOSAL	FEDERAL NUMBER FED ITEM CTR. SEC.   WORK TYPE STP 0879(003)	
90132A	LOCATION M24 Akron Rd north to 471 ft south of Ainsworth Rd Tuscola County ROUTE M24 Tuscola County	

DESCRIPTION: 5.40 mi of cold milling and hot mix asphalt resurfacing on M-24 from south of Akron Road northerly to south of Ainsworth Road, Tuscola County. This project includes a 3 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 10.802 %

Ea = 7.799 %

N93A = 13.381 %

Cb = 66.122 %

N3 = 1.894 %

# MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 039

| PROPOSAL | PROJECTS | FEDERAL NUMBER | FED ITEM | CTR. SEC. | WORK TYPE | 22184-102068 | 102068A | B-26-0049-1107 | AG0358 | FM 22184 | Miscellaneous | ROUTE | Iron Mountain, Michigan

DESCRIPTION: Perimeter fencing improvements at Ford Airport, city of Iron Mountain, Dickinson County.

CLASSIFICATION RATINGS

Misc = 15.989 %

N96M = 84.011 %

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

LETTING DATE: 071207

CALL: 040

PROPOSAL	FEDERAL NUMBER	
100422A	LOCATION Evergreen Road from North Hubbard Drive along Henry Ford community college campus	

DESCRIPTION: Two traffic signal upgrades and interconnect on Evergreen

Road from north of Hubbard Drive along Henry Ford Community

College campus, Wayne County.

CLASSIFICATION RATINGS

Misc = 14.686 %

L = 85.313 %

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 041

 PROPOSAL PROJECTS 25400-100385-2 100385A	FEDERAL NUMBER CMG 0725(097)	FED ITEM JJ2869	CTR.	SEC. 25400	WORK TYP Miscella	_	
100385A	LOCATION 19 locations in the cit	y of Flint				ROUTE .	,

DESCRIPTION: Traffic and pedestrian signal upgrades, wireless signal

interconnect, and ADA sidewalk ramps at 19 locations in

the city of Flint, Genesee County.

#### CLASSIFICATION RATINGS

Misc = 15.733 % Ea = 0.881 % K = 3.368 % N94B = 0.092 % Ka = 0.365 % Cb = 0.563 % Ba = 0.437 % J = 6.429 % L = 69.814 %

I = 0.056 %

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 042

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYI	PE
03495-89605	89605A	STP 0803(008)	RR6161	STUL 03495	Roadsid	e Reconstruction
89605A		LOCATION Washington Street from Street	the west city	limits to eas	st of Gr	

DESCRIPTION: 0.52 mi of pavement removal, aggregate base, sewer work, hot mix asphalt resurfacing, curb and gutter, and sidewalk work on Washington Street from the west city limits to east of Grant Street in the city of Otsego, Allegan County.

#### CLASSIFICATION RATINGS

Misc = 12.892 % J = 20.797 % Ea = 14.359 % K = 19.663 % N94B = 0.345 % Cb = 24.434 % N3 = 2.140 % I = 5.366 %

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 043

PROPOSAL 76421-89572	PROJECTS 89572A	FEDERAL NUMBER STP 0876(006)	FED ITEM RR6156	CTR. SEC. STUL 76421	WORK TY Roadsid	PE le Reconstruction	
89572A		LOCATION On East Corunna Avenue	from Brady St	reet to Comsto	ock Stre	ROUTE	l

DESCRIPTION: 0.14 mi of pavement reconstruction, curb and gutter, watermain and drainage improvements on Corunna Avenue from Brady Street easterly to Comstock Street in the city of Corunna, Shiawassee County.

### CLASSIFICATION RATINGS

Misc = 15.482 %	J = 17.766 %	Ea = 9.097 %	κ = 35.637 %	Cb = 14.603 %
B = 4.670 %	Ba = 1.095 %	N96M = 0.167 %	N3 = 0.762 %	I = 0.716 %

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 044

	PROPOSAL 53609-90193	PROJECTS   90193A	FEDERAL NUMBER HRRR 0753(106)	FED ITEM KK1788	CTR. SEC. HRRR 53609	WORK TY	PE Operations	
Ï	90193A		LOCATION North Lakeshore Drive f	rom M-116 nor	th to Robert S	Street	ROUTE	

DESCRIPTION: 1.36 mi of shoulder trenching and widening, hot mix asphalt

paving, guardrail upgrades and tree removal on North Lakeshore Drive from M-116 northerly to Robert Street,

Mason County.

#### CLASSIFICATION RATINGS

Misc = 17.064 %	Fa = 0.117 %	Ea = 15.556 %	N94B = 0.365 %	K = 0.327 %
Cb = 56.446 %	N96L = 6.774 %	N6 = 0.082 %	N3 = 0.477 %	I = 2.787 %

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 045

PROPOSAL	FEDERAL NUMBER	FED ITEM   CTR. SEC.   WORK TYPE   N/A   M 86000   Preventive Maintenance
M00210	LOCATION Mackinac Bridge	ROUTE I-75

DESCRIPTION: 4.18 mi of hot mix asphalt resurfacing and bridge deck, concrete curb and joint repair on I-75 on the Mackinac Bridge in the cities of Mackinaw City and St. Ignace, Emmet and Mackinac Counties. This project includes a 5 year materials and workmanship pavement warranty.

### CLASSIFICATION RATINGS

Misc = 12.805 %	N93A = 3.720 %	Cb = 14.204 %	B = 0.056 %	Fa = 48.161 %
Fb = 0.221 %	N91A = 13.219 %	N91C = 4.923 %	N91E = 0.785 %	N3 = 1.903 %

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 046

PROPOSAL	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
	STP 0863(015)	YY0351	STU 63459	Resurfacing
101127A	LOCATION Nine Mile Road from Gro of Oak Park,Oakland Co		o Park Lawn i	in the C

DESCRIPTION: 0.70 mi of hot mix asphalt cold milling and resurfacing, concrete cold milling and pavement repairs, drainage structure, sewer work, concrete sidewalk and ramp work on Nine Mile Road from Greenfield Road to Parklawn Street in the city of Oak Park, Oakland County.

#### CLASSIFICATION RATINGS

Misc = 22.47	5 % Ea	a =	4.859 %	K	=	8.245 %	N94B	= 0.035 %	N93A	=	5.645	%
N93G = 0.68	9 % Cb	= 2	29.662 %	В	=	1.790 %	Ва	= 12.849 %	J	= 1	10 <b>.99</b> 7 5	%
N96M = 0.04	6 % N6	5 =	1.373 %	N3	=	1.329 %	N3	= 1.329 %				

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 047

PROPOSAL	FEDERAL NUMBER FED ITEM	CTR. SEC.   WORK TYPE	
	NH-0881(003) HH5281	NH 81072   Preventive Maintenance	
100029A	LOCATION I-94 BL from Main Street to US-23	ROUTE I-94 BL	Ī

DESCRIPTION: 4.33 mi of hot mix asphalt cold milling and resurfacing and upgrading sidewalk ramps on I-94BL from Main Street to east of US-23 in the city of Ann Arbor, Washtenaw County. This project includes a 3 year pavement performance warranty.

A 2008 highway preventive maintenance project.

## CLASSIFICATION RATINGS

Misc = 9.073 %	J	=	3.431 %	Ea	= 0.378 %	Ka	=	1.114 %	K	= 1	0.637 %
N93A = 10.407 %	N93G	=	2.051 %	Cb	= 54.480 %	В	=	0.021 %	Ва	=	0.382 %
N3 = 3.181 %	I	=	0.314 %	L	= 4.526 %						

#### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

LETTING DATE: 071207

CALL: 048

PROPOSAL PROJECTS FEDERAL NUMBER FED ITEM CTR. SEC. | WORK TYPE 100375A HH5280 STT 66012 | Preventive Maintenance 66012-100375 STP 0866(204) LOCATION ROUTE 100375A North of Bergland, and from White Pine to Silver City M-64

DESCRIPTION: 8.39 mi of overband crack fill, double chip seal, shoulder aggregate, and pavement markings on M-64 north of

Bergland and from White Pine to Silver City, Ontonagon

County. This project includes a 2 year pavement

performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 11.956 %

Ea = 12.057 %

N93E = 6.758 %

Ca = 62.716 %

N3 = 6.511 %

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

LETTING DATE: 071207

CALL: 049

PROPOSAL	FEDERAL NUMBER FED ITEM CTR. SEC.   WORK TYPE NH 0855(002)	ĺ
100481A	LOCATION US-41, from north of Smith Street northerly to south of County Road 352 ROUTE US-41	

DESCRIPTION: 5.23 mi of hot mix asphalt resurfacing on US-41 from north of Smith Street northerly to south of County Road 352 in the village of Wallace, city of Stephenson, Menominee County. This project includes two 3 year pavement performance warranties.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 9.005 %

Ea = 7.403 %

N93A = 3.680 %

Cb = 77.817 %

N3 = 2.093 %

#### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

LETTING DATE: 071207

CALL: 050

PROPOSAL PROJECTS FEDERAL NUMBER FED ITEM CTR. SEC. | WORK TYPE 51031-90200 90200A STP 0851(309) HH5277 STT 51031 Preventive Maintenance LOCATION

90200A

M-22 from Glovers Lake Road to north Manistee County line | M-22

ROUTE

DESCRIPTION: 1.43 mi of hot mix asphalt cold milling and resurfacing on M-22 from south of Glovers Lake Road to south of the north Manistee County line, Manistee County. This project includes a 3 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 13.006 %

Ea = 5.905 %

N93A = 6.011 %

Cb = 73.104 %

N3 = 1.971 %

# MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 051

PROPOSAL 01011-90180	PROJECTS 90180A	FEDERAL NUMBER STP 0801(001)	FED ITEM HH5279	CTR. STT		WORK TYPE Preventive Maintenance	
90180A		LOCATION From the Iosco S. Coun From Bamfield Rd. to M		tle Rd.	. and	ROUTE M-65	

DESCRIPTION: 8.96 mi of overband crack treatment and microsurfacing on M-65 from the south Iosco County line northerly to Turtle Road and from south of Bamfield Road to north of M-72 East, Iosco and Alcona Counties. This project includes a 2 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 9.824 %

N93E = 10.958 %

N93I = 72.799 %

N3 = 6.418 %

#### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

1

LETTING DATE: 071207

CALL: 052

	PROPOSAL 63112-100108	PROJECTS 100108A 100109A	FEDERAL NUMBER NH 0863(013) NH 0863(012)	FED ITEM HH5276 HH5275	NH			PE ive Maintenance ive Maintenance
Ī	1001084		LOCATION Drahner to Burdick					ROUTE M-24
	100109A		M-24 from I-75 to Drahner & from Burdick to Davison Lake M-1 from 8 Mile (M-102) to 10 Mile Rd					M-24 and M-1

DESCRIPTION: 16.27 mi of hot mix asphalt crack treatment on M-1 northbound and southbound from Jewell Street to 10 Mile

Road, on M-24 from the Opdyke Road split to Drahner Road, and from Burdick Street to Davison Lake Road, and hot mix asphalt microsurfacing on M-24 from Drahner Road to Burdick Street in the cities of Ferndale, Pleasant Ridge, and Auburn Hills, the villages of Lake Orion and Oxford, and the townships of Oxford and Orion, Oakland County. This project

includes two 2 year pavement performance warranties.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

### MICHIGAN DEPARTMENT OF TRANSPORTATION COST SUMMARIES FOR PRIMES COST SUMMARY BY LETPROP(PES) STATEWIDE

PAGE:

LETTING DATE: 071207

CALL: 053

PROPOSAL 62022-78707	PROJECTS 78707A 90103A	FEDERAL NUMBER STP 0862(304) EBSL 0862(305)	FED ITEM KK1826 HH5291	CTR. SEC. STH 62022 EBSL 62022	•	PE Operations ive Maintenance
78707A		LOCATION M-82; south of Apache	Drive south to	south of 56th	Street	ROUTE M82
90103A		M-82 from Main St. sou	therly and eas	M-82		

DESCRIPTION: 9.92 mi of hot mix asphalt cold milling, resurfacing, widening, joint repairs, curb and gutter, retaining wall, drain relocation, storm sewer and box culvert installations on M-82 from south of Apache Drive southerly to south of 56th Street and from Main Street southeasterly to M-37 in the cities of Fremont and Newaygo, Newaygo County. This project includes a 3 year pavement performance warranty.

CLASSIFICATION RATINGS

# LIST OF NON\_FEDERAL CONTRACTS

LETTING DATE	CALL	PROPOSAL	FEDERAL NUMBER	LOCATION
071207	001	86000-M00215	N/A	North side span of the Mackinac Bridge
071207	012	41544-74897	N/A	Northland Drive from 12 Mile to 13 Mile
071207	045	86000-M00210-2	N/A	Mackinac Bridge